

From: dbofinger@kemron.com
Sent: 5/31/2012 1:06:25 PM
To: "Richard Fetzer/R3/USEPA/US@EPA" <Fetzer.Richard@epamail.epa.gov>; "Kelley Chase/R3/USEPA/US@EPA" <chase.kelley@epa.gov>; "Joanna McDonald/R3/USEPA/US@EPA" <mcdonald.joanna@epamail.epa.gov>
CC:
Subject: FW: SF1635 & SF 2001 Dimock Status Update for Funding

Please see below

Thanks

Dave Bofinger
Response Manager
Kemron Environmental Services Inc
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
e mail- dbofinger@Kemron.com
Cell phone- 404 725 3257
Phone-404 636 0928 Fax 404 636 7162
Visit us at www.kemron.com

From: James Adams
Sent: Thursday, May 31, 2012 1:03 PM
To: David Bofinger
Cc: Richard Berube; Vanessa Taylor
Subject: SF1635 & SF 2001 Dimock Status Update

Dave,

I have completed the "final" 1900.55 for Dimock Water SF1635. At this time we have a remaining ceiling of \$ 61,680.63. I have left Penelec Power pending, when the next bill comes in it will need to be split between the two Dimock Projects due to billing date ranges. At this time I am not aware of any other outstanding invoices as the power invoice came in this morning from Vanessa.

As we have discussed I would recommend that we have EPA deob \$ 55,000 from SF1635 and transfer to the new SF2001, to assist in the necessary monthly expenses as that project is now holding our pending costs. This would leave us with \$ 6680.00 in the SF1635 ceiling for any adjustments that may need to be made during project audit.

Also with the new Dimock project set up and pending costs for June entered we are at 10% (\$5851.03) of our remaining ceiling of \$ 55,000, I will be completing an 85% letter to be sent to EPA today. I will be able to adjust these number slightly for about 12 days, after that we will not have adequate funds to operate.

If possible I would like to try to get the deob money by the end of the day Friday June 1st as many of the EPA personnel will be tied up with the Pocono Race next week.

Thanks

Paul

J. Paul Adams

570.955.3563 (site number)

404.889.1879 (cell)

678.302.6971 (e-fax)

Current Projects:

SF-2001 Dimock Residential Water (Active)

SF1635-Dimock PA Water Site (CLOSEOUT)

SE1628-FMO Pesticide (CLOSEOUT)

SE1613- Former Mohr Orchard (CLOSEOUT)

SE1632-Chesapeake AT-GAS (CLOSEOUT)

Know Safety, No Accidents

P Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to postmaster@kemron.com. Thank you.
